Getac

GETAC F110 ACCESSORY SPEC BROCHURE



F110
Fully Rugged
Tablet

Redefining What It Truly
Means To Be Mobile

Features & Benefits

The F110 Bracket with Rotating Hand Strap and kickstand comes in four different models. Each is designed to accommodate the F110 units with specific configurations. The hand strap is adjustable to fit most hand sizes and can be rotated at 360 degrees for effortless changing to any viewing you like. It also includes a built-in kickstand that allows for handsfree usage on flat surfaces. The brackets are designed with a pen holder, providing a form-fitting area to store your stylus/digitizer pen when it's not being used.

Product Information

Dimensions : Approx. L 315 x W 195 x H 16 mm

Main Material : PU



SKU ID/ Product Photo

Bracket type matrix varies with tablet configurations. Please refer to the compatibility below to select the "Bracket with Rotating Hand Strap and Kickstand" that is compatible with your F110 unit.

SKU ID	Photo	F110 G4 Configurable Options	F110 G5 Configurable Options
GMHRXC	 	- w/ Fingerprint scanner - w/o any extra option	- w/ Fingerprint scanner - w/o any extra option
GMHRXD	j C	- w/ Smart card reader	- w/ Smart card reader
GMHRXE		- w/ Magnetic stripe reader	<u>-</u>
GMHRXF		- w/ LF/HF RFID - w/ Smart card reader + HDMI-in	- w/ LF/HF RFID

SHOULDER HARNESS 4-Point

Features & Benefits

This shoulder harness has four snap hooks that attach to the D-rings on the four corners of the "F110 Bracket with Rotating Hand Strap & Kickstand" (sold separately) and can be easily detached as well.

This wearable strap allows you to carry your tablet handsfree, which allows you to view the screen while working with two hands. It also delivers optimal support and a comfortable fit during movement, thanks to its wide soft padding and adjustable straps.

Product Information

Dimensions : 480 x 260mm Main Material : Polyester

* The F110 Bracket with Rotating Hand Strap & Kickstand - sold separately, is required for use with the Shoulder Harness.

SKU ID

SKU ID: GMS4X1



SHOULDER STRAP 2-Point

Features & Benefits

This shoulder strap attaches to two D-rings on the "F110 Bracket with Rotating Hand Strap & Kickstand" (sold separately) and is adjustable to fit most body sizes for both cross-body and shoulder carry.

With its durable, sturdy design, the strap not only provides a comfortable, grip-free carrying option of the tablet but also helps in avoiding accidental drops while on the move.

Product Information

Dimensions : 1530 x 38 mm Main Material : Polyester

* The F110 Bracket with Rotating Hand Strap & Kickstand- sold separately, is required for use with the Shoulder Strap.

SKU ID

SKU ID: GMS2X4



FOLIO CASE

Features & Benefits

Specifically designed for the F110, the folio case features a durable, leather-look cover that perfectly wraps around the tablet to protect it from scrapes, dirt, and impact without getting in the way of accessing ports and controls. The front flap with built-in anti-slip stripes allows you to set up multiple horizontal stand angles for handsfree viewing. A pen holder is also integrated into the case for easy access and storage of your stylus or digitizer pen. For added convenience, the case includes four D-ring connectors for easy attachment of the shoulder strap or shoulder harness (sold separately). This provides versatility and allows the tablet to be transported in a number of ways.

Product Information

Dimensions:

L 325 x W 224 x H 43mm

Weight: 730g

Main Material: PU, Nylon

SKU ID

SKU ID: GMBCX5





CARRY BAG

Features & Benefits

Constructed of durable Nylon / air mesh fabric, and featuring an adjustable padded shoulder strap, this compact carry bag provides sturdy protection for your F110 tablet while giving maximum comfort.

The functional pockets inside offer the optimal solution to transport the tablet and needed accessories together in one case, delivering extra convenience and go-anywhere productivity to mobile professionals.

Product Information

Dimensions:

L 340 x W 260 x D 65 mm

Weight: 760g

Main Material: Nylon, air mesh

fabric

SKU ID

SKU ID: GMBCX2





F110-BATTERY, 3-CELL 2160 mAh

Features & Benefits

On the exterior side of the battery pack is a physical battery indicator. The value of the corresponding green LEDs indicates the relative percentage of the battery charge.

You can press the push-button to see the number of LEDs that light up. Each LED represents a 20% charge.

Product Information

Battery Type : Lithium-ion

Voltage: 11.4V

Capacity: Typical 2160mAh;

Min. 2100mAh Dimensions:

L 158.8 x W 78.5 x H 7.95mm

Weight: 145g

SKU ID

SKU ID: GBM3X2



120W VEHICLE ADAPTER

Features & Benefits

The 120W vehicle adapter comes with a choice of two types of connections: a bare wire with individual wire ends already stripped, and a cigarette lighter plug for easy connection to the cigarette lighter socket in the vehicle interior, providing a convenient way to charge and power your tablet while you are on the road.

Product Information

Input Voltage: 11VDC~ 32VDC

Output Voltage: 19VDC Output current: 6.32A Max.

Case Dimensions:

L 131.5 x W 65.6 x H 30mm

Weight: 362g

Input cable length: 1900mm Output cable length: 1000mm

SKU ID

SKU ID: GAD2X4

(Cigarette Lighter Plug Version) GAD2X8 (Bare Wire Version)



Cigarette Lighter Plug Version

Bare Wire Version

65W AC ADAPTER with Power Cord

Features & Benefits

This adapter is designed to power the device and charge its internal battery from an AC power source.

A country-specific power cord is included with the adapter to fit the local power outlet in your designated country.

Product Information

Input: 100V-240V, 50~60Hz, 1.5A

Output: 19V, 3.42A, 65W

Dimensions:

L 108.3 x W 46.3 x H 30mm

Weight: 250g

Input cable length: 1830mm Output cable length: 1500mm

SKU ID

SKU ID: GAA6*5

* EU = E, US = U, UK = K, AU = A, PR = C, TW = T - Power cords



90W MIL-STD-461 AC ADAPTER

Features & Benefits

This MIL-STD-461G AC adapter has passed the military standard and testing specification to ensure the conducted emissions (CE), conducted susceptibility (CS), radiated emissions (RE), and radiated susceptibility (RS) of the adapter can meet the requirements for the control of electromagnetic interference.

Product Information

Input: 100V-240V, 1.5A 50~60Hz

Output: 19V, 4.74A, 90W

Dimensions:

L 147 x W 73mm x H 45.5mm

Weight: 750g (without power cord)

Input cable length: 1830mm Output cable length: 1200mm

SKU ID

SKU ID: GAAF*3

* EU = E, US = U, UK = K, PR = C

- Power cords



EXTERNAL DUAL BAY MAIN BATTERY CHARGER

Features & Benefits

This external dual-bay main battery charger is designed to charge up to 2 batteries at the same time. It provides you the benefit of charging and storing the 2 main batteries together when there are limited space and power socket.

Product Information

AC Input: 100V~240V

DC Output: 13.05V, 2.4A Max. Number of charge bay: 2 Bay

Dimensions :

L 160 x W 180 x H 72.5mm

Weight: 1.2kg

SKU ID

SKU ID: GCMC*7

* EU = E, US = U, UK = K, AU = A, PR = C, TW = T - Power cords



MULTI-BAY BATTERY CHARGER Eight Bay

Features & Benefits

The 8-bay multi-battery charger is designed to charge multiple battery packs simultaneously and provide users an efficient charging solution.

Product Information

AC Input: 100V~240V AC, 4.2A

50~60Hz

DC Output : 19.5V, 16.9A
* w / 330W AC Adapter

Number of charge bays: 8 bays

Dimensions:

L 465 x W 245 x H 95.3~111.3mm Weight: 4.7 kg ,not including battery packs

SKU ID

SKU ID: GCEC*D

* EU = E, US = U, UK = K, AU = A, PR = C, TW = T - Power cords



CAPACITIVE HARD TIP STYLUS & TETHER

Features & Benefits

This capacitive hard tip stylus is lightweight and easy to control, allowing smooth and comfortable interaction with the touch screen without worrying about scratching the screen or leaving fingerprints on it. The stylus comes with a detachable tether to keep the stylus attached to the tablet, so it doesn't get lost or misplaced.

Product Information

Stylus Dimensions : 129.2mm ; Ø7.7mm

Tip size: 3.8mm; Ø3.5mm

Tether Length: 195mm

SKU ID

SKU ID : GMPSX9



DIGITIZER PEN

Features & Benefits

The digitizer pen provides a more accurate and easy way for data entry and handwritten signature. A shortcut button allows the right mouse button functionality when using the pen.

Product Information

Stylus Dimensions : 133.9mm ; Ø7.65mm

Tether Length: 195mm

SKU ID

SKU ID: GMPDX4



DETACHABLE FOLDING KEYBOARD

Features & Benefits

The detachable folding keyboard docks via a Pogo Pin connector on the bottom of the F110 tablet, allowing you to easily transform the tablet into a laptop without reliance on extra tools or accessories. Featuring red backlighting, 88 full-size keys, and an integrated touchpad, the keyboard allows for a user-friendly, laptop-like operation to minimize mistakes and increase the efficiency as you perform data-intensive tasks. With the adjustable tablet bracket, it also acts as a screen cover and versatile stand that offers multiple viewing angles (up to 110 degrees) for comfortable use and on-the-job flexibility.

Product Information

Dimensions: L 314 x W 207 x H 19mm

Weight: 900g

Ruggedness: IP54 (only KBD),

3 ft drop (w/z system & closed)

Operating Temp: 0°C to 60°C Storage Temp: -40°C to 71°C

Humidity: 0~95% according to MIL-STD 810G method 507.5 Procedure II Aggravated (Non-OP)

SKU ID

SKU ID: GDKB*1

* US=U, DE=B, UK=C, FR=D, IT=E, TC (Traditional Chinese)=G, RU=H, AR=I, KR=K, PL=L, ES (Spanish)=M,FDNS=N, UI (International US)=W - Keyboard

OFFICE DOCK with AC Adapter

Features & Benefits

The Getac office dock brings out multiple I/O ports for connecting essential peripheral devices in the office environment. Through the integrated ethernet, RS232, or USB connections, users can quickly collect and synchronize field data with central offices for real-time reporting and analytics. The HDMI and VGA ports also provide a convenient solution for sharing presentations or worksheets from a larger screen.

Product Information

Dimensions:

L 223.4 x W 124.9 x H 240mm

Weight: 1000g

Docking Connector: POGO

* w / 90W AC Adapter

I/O Ports:

DC in Jack x 1

Audio Output x 1

Microphone x1

USB 2.0 x 3

USB 3.0 x1

LAN x1

HDMI x 1

VGA x 1

Serial Port x 2

Kensington Lock x 1

SKU ID

SKU ID: GDOF*S

* EU = E, US = U, UK = K, AU = A, PR = C,

TW = T - Power cords



OFFICE DOCK with Twin Battery Charger

Features & Benefits

This "office dock with twin battery charger" is designed to help you set up a handy work area when the job brings you back to the office. It not only brings out multiple I/O ports for connecting essential peripheral devices, but also allows you to charge up to two battery packs simultaneously with the integrated charging slots.

Product Information

Dimensions:

L 223 x W 240 x H 243 mm

Weight: 1500g

Docking Connector: POGO

* w/ 90W AC Adapter

I/O Ports:

DC in Jack x 1

USB 2.0 x 3

USB 3.0 x1

LAN x 1

HDMI x 1

VGA x 1

Battery Charging Slot x 2

SKU ID

SKU ID: GDOF*T

* EU = E, US = U, UK = K, AU = A, PR = C,

TW = T - Power cords



LCD SCREEN PROTECTION FILM

Features & Benefits

This screen protection film is cut precisely to fit the F110 tablet and is easy to install and remove without leaving a sticky residue. With anti-glare coating, it not only protects the screen from the rigors of daily use but also help diffuses light on the screen and reduces glare, providing effortless readability for displayed information under common ambient lighting conditions.

Product Information

Dimensions:

L 277 x W 170.2 x H 0.13mm

Main Material: PET

SKU ID & Compatibility

The F110 LCD screen protection film comes in 3 different types, each featuring different-sized front-facing camera cut-out to accommodate specific camera options for the F110. Please refer to the compatibility chart below to select the LCD screen protection film suited for your F110 unit.

F110 LCD Screen Protection Film				
SKU ID	Description	Compatible Model		
GMPFXI	F110G4- Screen Protection Film (for F110 unit with Windows Hello Webcam) (MOQ : 10 pcs)	F110G4/F110G5		
GMPFXH	F110G4- Screen Protection Film (for F110 unit with Standard Webcam) (MOQ: 10 pcs)	F110G4/F110G5		



GMPFXI for F110 unit with Windows Hello Webcam



GMPFXH for F110 unit with Standard Webcam